

## AS-BUILT DRAWING SUBMISSION

- ☐ No objection for use in construction
- ☐ Contractor to revise and resubmit
- ☐ Contractor to revise. No resubmission required

Date Received : \_\_\_\_\_  
 Date Returned : \_\_\_\_\_  
 Received By : \_\_\_\_\_  
 Signature : \_\_\_\_\_

This review covers only the checking of the general conformance and compliance with design concept and the design intent as per the Construction/Working Drawings and the Engineer's Specification. Under no circumstances does this review relieve the Contractor(s) / Sub-Contractor(s) of their contractual obligations as stated in the Contract / Sub-Contract. Neither does this review relieve the Contractor(s) Sub-Contractor(s) of his/her responsibility for all errors and omission in this submission regardless of whether the errors and / or omissions were identified and commented upon during the review.

DATE	REV.	ITEM	DESCRIPTION	DRAWN BY	CHECKED BY	


PEOPLE'S ASSOCIATION  
9 KING GEORGE'S AVENUE  
SINGAPORE 208581

**LIU & WO ARCHITECTS PTE LTD**  
35 DUXTON HILL, SINGAPORE 089613  
Tel: 6226 2766 Fax: 6226 3011  
Email: [liuwo@liuwo.com.sg](mailto:liuwo@liuwo.com.sg)

**RK** RONNIE & KOH CONS  
Civil & Structural Consulting Engineers  
Accredited Checking Organisation  
28 Sin Ming Lane #06-138 Midview City Singapore 573972  
Tel: 62257128 Fax: 62257182  
E-Mail: ronniekoh@rkcons.com



**HY M & E Consultancy Services Pte Ltd**  
 89 Short Street #08-09/10 Golden Wall Centre, Singapore 188216  
 Tel: 6338 6455/6 Fax: 6338 6521  
 E-mail : common@sinanet.com.sg



**UNION CONTRACTORS (S) PTE LTD**  
 65 UBI CRESCENT  
 #03-04/05 HOLA CENTRE  
 SINGAPORE 408559  
 TEL: 6221 2008 FAX: 6221 2003

**PROPOSED ADDITIONS &  
ALTERATIONS TO EXISTING  
3-STOREY HOUGANG COMMUNITY  
CLUB INVOLVING NEW ROOF  
TERRACES AND 4-STOREY  
EXTENSION OF SENIOR CARE  
CENTRE ON LOT 09346P MK 22 AT  
35 HOUGANG AVENUE 3  
(HOUGANG PLANNING AREA)**

ARCHI AS-BUILT - 4TH STOREY PLAN

DRAWN	EJC		SCALE	N. T. S.	
DWG. CHK.	EJC		DATE		

DRAWING NO.:	REV.
UC/HGCC/AAB/L4	-



NOTES  
 \*VISUAL ALARM SYSTEM PROVIDED.  
 \*VOICE COMMUNICATION IS PROVIDED.  
 \*AUTOMATIC HEAT AND SMOKE DETECTOR, BREAK GLASS & MANUAL CALL POINT TO BE PROVIDED.  
 \*THE OCCUPANT LOAD OF 1ST STOREY BASE ON THE FLOOR AREA OF 798.84 SQM IS 307 PERSONS.  
 \*NO OF PERSONS PROVIDED FOR MEANS OF ESCAPE AT THIS STOREY = 360 PERSONS

